


6' x 20' Main Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26522	25491*	1	Outside Corner Male	2
26524	26417*	2	Inside Corner	4
26523	26402*	3	Outside Corner End	2
26527	26406*	4	Angle Bracket	28
24284	26409*	5	Washer Plate	40
26530		6	3/8"x2-1/2" Carriage Bolt Set	128
	or 26533	6	1/2"x 3" Carriage Bolt Set	128
24288	24290	7	3/8" x 2" Lag Bolt & Flat Washer	48
•	•	8	24" x 48" x 16" Float Drum	8
•	•	9	20 Penny Screw Nails	About 7 lbs.

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6


Lumber Materials:

2" x 8" x 20'	Side Stringers (237-1/4")	2
2" x 8" x 6'	End & Cross Stringers (69")	6
2" x 8" x 4'	Short Cross Stringers (45-15/16"*)	10
2" x 6" x 8'	Deck Boards (74-1/2")	40


* Should be individually measured.

Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.



8' x 20' Main Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26522	25491*	1	Outside Corner Male	2
26524	26417*	2	Inside Corner	4
26523	26402*	3	Outside Corner End	2
26527	26406*	4	Angle Bracket	34
24284	26409*	5	Washer Plate	52
26530		6	3/8" x 2-1/2" Carriage Bolt Set	160
	or 26533	6	1/2" x 3" Carriage Bolt Set	160
24288	24290	7	3/8" x 2" Lag Bolt & Flat Washer	48
•	•	8	20 Penny Screw Nails	About 7 lbs.
•	•	9	2' x 4' x 16" Float Drum	8

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6


Lumber Materials:

2" x 8" x 20'	Side Stringers (237-1/2")	2
2" x 8" x 10'	End & Cross Stringers (93")	6
2" x 8" x 4'	Short Cross Stringers (46"*)	15
2" x 6" x 10'	Deck Boards (98-1/2")	40


* Should be individually measured.

Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.



10' x 20" Main Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26522	25491*	1	Outside Corner Male	2
26524	26417*	2	Inside Corner	4
26523	26402*	3	Outside Corner End	2
26527	26406*	4	Angle Bracket	48
24284	26409*	5	Washer Plate	64
26530		6	3/8"x2-1/2" Carriage Bolt Set	192
	or 26533	6	1/2"x 3" Carriage Bolt Set	192
24288	24290	7	3/8" x 2" Lag Bolt & Flat Washer	104
•	•	8	20 Penny Screw Nails	About 9 lbs.
•	•	9	24" x 48" x 16" Float Drum	13

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6

Lumber Materials:


2" x 8" x 20'	Side Stringers (237-1/2")	2
2" x 8" x 10'	End & Cross Stringers (117")	6
2" x 8" x 4'	Short Cross Stringers (46"*)	20
2" x 6" x 12'	Deck Boards (122-1/2")	40

* Should be individually measured.


Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

10' x 20" Main Dock



3' x 20' Finger Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26522	25491*	1	Outside Corner Male	2
26524	26417*	2	Inside Corner	4
26523	26402*	3	Outside Corner End	2
26527	26406*	4	Angle Bracket	32
24284	26409*	5	Washer Plate	48
26530		6	3/8"x 2-1/2" Carriage Bolt Set	128
	or 26533	6	1/2"x 3" Carriage Bolt Set	128
	26536	7	1/2"x 5" Carriage Bolt Set	16
24288	24290	8	3/8" x 2" Lag Bolt & Flat Washer	64
•	•	9	20 Penny Screw Nails	About 9 lbs.
•	•	10	24" x 36" x 16" Float Drum	8

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6


Lumber Materials:

2" x 10" x 20'	Side Stringers (237.5")	2
2" x 10" x 3'	End & Cross Stringers (33")	18
2" x 6" x 4'	Deck Boards (38.5")	40


Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

3' x 20' Finger Dock



4' x 20' Finger Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26522	25491*	1	Outside Corner Male	2
26524	26417*	2	Inside Corner	4
26523	26402*	3	Outside Corner End	2
26527	26406*	4	Angle Bracket	32
24284	26409*	5	Washer Plate	48
26530		6	3/8"x2-1/2" Carriage Bolt Set	128
	or 26533	6	1/2"x 3" Carriage Bolt Set	128
	26536	7	1/2"x 5" Carriage Bolt Set	16
24288	24290	8	3/8" x 2" Lag Bolt & Flat Washer	64
•	•	9	24" x 48" x 16" Float Drum	8
•	•	10	20 Penny Screw Nails	About 5 lbs.

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6


Lumber Materials:

2" x 10" x 20'	Side Stringers (237-1/4")	2
2" x 6" x 4'	End Stringer (Front - 45")	1
2" x 10" x 4'	End & Cross Stringers (45")	17
2" x 6" x 10'	Deck Boards (40 @ 50-1/4")	20


Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

4' x 20' Finger Dock



10' x 10' Swim Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26523	26402*	1	Outside Corner End	4
	26413*	2	Backup Plate (1 if used with inside corner)	9
or				
26524	26417*	2	Inside Corner	4
24284	26409*	3	Washer Plate	20
26527	26406*	4	Angle Bracket	10
26529	26410	5	Chain Retainer	1
26530		6	3/8"x2-1/2" Carriage Bolt Set	76
	26533	6	1/2"x 3" Carriage Bolt Set	76
24288	24290	7	3/8" x 2" Lag Bolt & Flat Washer	36
•	•	8	24" x 48" x 16" Float Drum	6
•	•	9	20 Penny Screw Nails	About 6 lbs.

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6

Lumber Materials:


2" x 8" x 10'	Side Stringers (120")	2
2" x 8" x 10'	End & Cross Stringers (117")	6
2" x 8" x 3'	Short Cross Stringer (22-1/2"*)	1
2" x 6" x 10'	Deck Boards (122-1/2")	21

* Should be individually measured.


Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

10' x 10' Swim Dock



12' x 12' Swim Dock



Bill of Materials:

Standard	Commercial	#	Part Description	Qty.
26523	26402*	1	Outside Corner End	4
26524	26417*	2	Inside Corner	4
	26413*	3	Backup Plate	1
24284	26409*	4	Washer Plate	20
26527	26406*	5	Angle Bracket	16
26529	26410*	6	Chain Retainer	1
26530		7	3/8"x2-1/2" Carriage Bolt Set	84
	or 26533	7	1/2"x 3" Carriage Bolt Set	84
24288	24290	8	3/8" x 2" Lag Bolt & Flat Washer	28
•	•	9	24" x 48" x 16" Float Drum	8
•	•	10	20 Penny Screw Nails	About 7 lbs.

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6

Lumber Materials:


2" x 8" x 12'	Side Stringers (144")	2
2" x 8" x 12'	End & Cross Stringers (141")	6
2" x 8" x 3'	Short Cross Stringer (27-5/16"*)	1
2" x 6" x 14'	Deck Boards (146-1/2")	25

* Should be individually measured.

Design Notes:


Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

12' x 12' Swim Dock



Typical U - Dock

6' x 16'
Main Dock
Section



Design Notes:

Tie Down assumes no responsibility or liability for the completeness or accuracy of these drawings. Drawings are provided as a guideline only. Dimensions are approximate. Variances do concur in lumber and component parts, so please check all measurements on dock hardware, float drums and lumber prior to drilling holes. Verify all dimensions length, width and thickness of lumber.

Bill of Materials (6' x 16' Main Dock Section Only):

Standard	Commercial	#	Part Description	Qty.
26523	26402*	1	Outside Corner End	2
26524	26417*	2	Inside Corner	4
26521	25400*	3	Outside Corner Female	2
26528	56407*	4	Female T Connector	2
•	26413*	5	Back Up Plate	2
24284	26409*	6	Washer Plate	54
26527	26406*	7	Angle Bracket	40
26530		8	3/8"x2-1/2" Carriage Bolt Set	176
	or 26533	8	1/2"x 3" Carriage Bolt Set	176
24288	24290	9	3/8" x 2" Lag Bolt & Flat Washer	64
24279	•	10	Hex Head Bolt Set	2
•	•	11	24" x 36" x 16" Float Drum	8
•	•	12	20 Penny Screw Nails	About 7 lbs.

Lumber Materials (6' x 16' Main Dock Section Only):

2" x 10" x 16'	Side Stringers (192")	2
2" x 10" x 6'	End & Cross Stringers (69")	8
2" x 10" x 6'	Short Cross Stringers: (8 @ 34-1/2"*) & (6 @ 17-1/2"*)	6
2" x 6" x 8'	Deck Boards (74-1/2")	33

* Should be individually measured.

• Obtained from Local Hardware Store Or Marine Supply

* Most commonly used. Other parts or options available, see product descriptions, pages 3-6

Typical U - Dock

